

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	matthew near englehart.in.	US-PGPUB; USPAT	OR	ON	2006/10/11 14:38
S2	7	peter near szpak.in.	US-PGPUB; USPAT	OR	ON	2006/10/11 14:38
S3	44	mathworks.as.	US-PGPUB; USPAT	OR	ON	2006/10/11 14:38
S4	6	S3 and (graphic\$4 and interface and parameter).clm.	US-PGPUB; USPAT	OR	ON	2006/10/11 14:38
S5	102	("5708828" "4924378" "5748877" "5892510" "5946278" "4477874" "4506330" "5295059" "5297247" "5499318" "5576981" "5577239" "5680537" "5740427" "5938766" "5950192" "5969283" "6016400" "6023565" "6065021" "6069563" "6118938" "6121964" "6192368" "6211909" "6211909" "6232539" "6292830" "6453329" "6466973" "20020188928" "20030074235" "20040078236" "20050091255" "20050195678" "20050203950" "20050262271" "5590331" "6038565" "6067524" "6199070" "6246994" "4268950" "4272303" "4277827" "4290184" "4294001" "4315451" "4336647" "4342099"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:55
S6	384	717/109.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:56
S7	492	717/106.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:57
S9	529	S6 or S7 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:59

EAST Search History

S10	336	S9 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:02
S11	180	S10 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 14:59
S12	2	S11 and (storage adj class)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:00
S13	207	S10 and (code near (generat\$4 or develop\$4 or creat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:02
S14	162	S13 and view	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:03
S15	161	S14 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:03
S16	136	S15 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/11 15:04
S17	13	("4695833" "5432903" "5485601" "5495567" "5603034" "5664180" "5668966" "5696975" "5760788" "5923885" "5946693" "5966532" "5974256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/12 07:39

EAST Search History

S18	98587	"graphical user interface" or gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 08:12
S19	107	S18 and parameter and "storage class"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 08:12
S20	107	S19 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 08:13
S21	101	S20 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @riad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 08:13
S22	2	"6366300".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:16
S23	2	"5732277".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 09:16
S24	75	pragma near directive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:42
S25	60	S24 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @riad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:44

EAST Search History

S26	72	S24 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:48
S27	57	S26 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:49
S28	61	S26 and (data with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 12:48
S29	49	S28 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:42
S30	14	(US-20030074235-\$ or US-20040255269-\$ or US-20040230945-\$ or US-20040111696-\$ or US-20020010908-\$).did. or (US-5892510-\$ or US-6701513-\$ or US-6684385-\$ or US-6421822-\$ or US-6053951-\$ or US-5481712-\$ or US-5187788-\$ or US-5966532-\$ or US-5933642-\$).did.	US-PGPUB; USPAT	OR	ON	2006/10/12 14:32
S31	1	S30 and (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:33
S32	115	(pragma or directive) with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:45

EAST Search History

S33	53	S32 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:42
S34	50	S33 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:42
S35	16	pragma with ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:46
S36	202	pragma with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:46
S37	8	S36 and gui	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:50
S38	36	parameter with (pragma or "non-portable directive")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:53
S39	24	S38 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:51
S40	0	"non-portable directive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:53

EAST Search History

S41	686	parameter with (pragma or directive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:54
S42	226	S41 and compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:54
S44	101	S42 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 14:55
S45	72	S44 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:01
S46	815	(pragma or directive) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:02
S48	159	S46 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:03
S49	1	S48 and parmeter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:04
S51	23	"non-displayed" with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:50

EAST Search History

S52	2	S30 and (header adj file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 15:53
S53	177	(header adj file) same (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:00
S54	87	(header adj file) with (code near (generat\$4 or creat\$4 or develop\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:01
S55	54	S54 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:01
S56	52	S55 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:01
S60	23	(non-displayed or "not display") with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:29
S62	2939	(non-displayed or hidden or phantom) with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:30
S65	299	S62 and token	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:34

EAST Search History

S66	29	S65 and "717".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:32
S67	85	S65 and ("graphical user interface" or gui)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:34
S68	81	S67 and (@pd<"20031031" or @ad<"20031031" or @prad<"20031031" or @rlad<"20031031")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/12 16:34